



Tech Info Library

Retrospect: How To Interpret Performance Shown in Log (2/95)

Article Created: 21 February 1995

TOPIC -----

Please clarify the way Dantz Development Corporation's Retrospect software computes its throughput in this example:

```
8:56:53 AM: Copying
8:57:00 AM: Comparing
8:57:04 AM: Execution completed successfully
```

```
Total Completed: 31 files, 861 KB
Performance: 4.5 MB/minutes (7.2 copy, 12.6 compare)
```

DISCUSSION -----

The log gives the impression that the copy took 7.2 seconds and the compare took 12.6 seconds. This is not correct. These times are instead accumulative. In other words, after 7.2 seconds the copy was completed and after 5.4 more seconds the compare was completed.

Here are the calculations used to get the number above:

```
Duration: 00:00:11
Throughput = kbytes backed up / duration
4.5 MB/minute = 861 KB/11 sec * 60 sec / 1 minute * 1 MB/1000 KB
7.2 MB/minute = 861 KB/7.2 sec * 60 sec / 1 minute * 1 MB/1000 KB
9.9MB/minute = 861 KB/5.2 sec * 60 sec / 1 minute * 1 MB/1000 KB
```

Note:

The total performance is based on the total time of the backup and compare procedures. If you compute just backup or compare time, you seem to have a higher throughput.

This article provides information about a non-Apple product. Apple Computer, Inc. is not responsible for its content. Please contact the vendor for additional information.

The Tech Info Library article titled "Locating Vendor Information" can help you search for a particular vendor's address and phone number.

Support Information Services
Copyright 1995, Apple Computer, Inc.

Keywords: supt,knts,ksts

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 17241